

# TMT (EX9,5)R CUS - Marker for terminal blocks



0803079

<https://www.phoenixcontact.com/us/products/0803079>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker for terminal blocks, can be ordered: by line, white, labeled according to customer specifications, mounting type: snap into universal marker groove, snap into flat marker groove, lettering field size: 9.5 x 50000 mm

## Your advantages

- Labeling service: Phoenix Contact can custom-label all TMT ... markers in accordance with your requirements

## Commercial data

Item number	0803079
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8111
Catalog page	Page 266 (NTK-2014)
GTIN	4046356935760
Weight per piece (including packing)	1.608 g
Weight per piece (excluding packing)	1 g
Country of origin	PL

# TMT (EX9,5)R CUS - Marker for terminal blocks



0803079

<https://www.phoenixcontact.com/us/products/0803079>

## Technical data

### Product properties

Product type	Labeled terminal marker
Type	flat

### Mounting

Mounting type	snap into universal marker groove
---------------	-----------------------------------

### Material specifications

RoHS compliant	yes
Color	white
Material	PVC
Components	Silicone-free

### Environmental and real-life conditions

Test for substances that would hinder coating with paint or varnish

Result	Test passed
--------	-------------

UV resistance

Specification	ISO 4892-2:2013-03 (following)
Result	Test passed
Test duration	96 h

Ambient conditions

Ambient temperature (operation)	-30 °C ... 80 °C
Recommended storage conditions	10 ... 30 °C / 40 ... 70 % relative humidity. Storage in the original packaging is recommended prior to processing.
Recommended ambient temperature (storage/transport)	10 °C ... 30 °C
Recommended humidity (storage/transport)	40 % ... 70 %
Shelf life	12 months

### Dimensions

Width	9.5 mm
Length	50 m

### Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

# TMT (EX9,5)R CUS - Marker for terminal blocks



0803079

<https://www.phoenixcontact.com/us/products/0803079>

## Classifications

### ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

### ETIM

ETIM 9.0	EC000761
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)