WS 4-12 - Warning label



https://www.phoenixcontact.com/us/products/0805328



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Warning plate, with 2 plastic screws, across 4 terminal blocks, pitch 12 mm



Your advantages

- The warning labels are secured in the bridge shafts of the UK ... modular terminal blocks using plastic screws
- · Mains terminal blocks are reliably covered and marked using warning labels
- · Accidental actuation of the terminal points is therefore prevented

Commercial data

Item number	0805328
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG20
Product key	BG2511
Catalog page	Page 593 (C-1-2019)
GTIN	4017918145118
Weight per piece (including packing)	2.51 g
Weight per piece (excluding packing)	2.4 g
Customs tariff number	39269097
Country of origin	DE

WS 4-12 - Warning label



https://www.phoenixcontact.com/us/products/0805328



Technical data

Product properties

Туре	Rectangle
Product type	Warning label printed
Number of positions	4
Pitch	12 mm

Marking

Printing	Lightning flash and warning in English

Dimensions

Width	48 mm
Height	26 mm
Diameter	0.00 mm
Pitch	12 mm

Material specifications

Color	yellow/black
Material	PVC

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-15 °C 65 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Standards and regulations

Mounting

Mounting type	plug in

WS 4-12 - Warning label



https://www.phoenixcontact.com/us/products/0805328



Classifications

ECLASS

	ECLASS-11.0	27281107
	ECLASS-12.0	27281107
	ECLASS-13.0	27281107
ETIM		
	ETIM 9.0	EC001777
UN	NSPSC	

55121700

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com

UNSPSC 21.0