WS 5-5 - Warning label

0805331

https://www.phoenixcontact.com/us/products/0805331



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Warning plate, with 2 plastic screws, across 5 terminal blocks, pitch 5 mm



Your advantages

- · The warning labels are secured in the bridge shafts of the UK ... modular terminal blocks using plastic screws
- · Mains terminal blocks are reliably covered and marked using warning labels
- · Accidental actuation of the terminal points is therefore prevented

Commercial data

Item number	0805331
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG20
Product key	BG2511
Catalog page	Page 593 (C-1-2019)
GTIN	4017918145125
Weight per piece (including packing)	1.21 g
Weight per piece (excluding packing)	1.21 g
Customs tariff number	39269097
Country of origin	DE

WS 5-5 - Warning label

0805331

https://www.phoenixcontact.com/us/products/0805331



Technical data

Product properties

Туре	Rectangle
Product type	Warning label printed
Number of positions	5
Pitch	5 mm

Marking

Printing	Lightning flash and warning in English

Dimensions

Width	24 mm
Height	21 mm
Diameter	0.00 mm
Pitch	5 mm

Material specifications

Color	yellow/black
Material	PVC

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-15 °C 65 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Standards and regulations

	Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Мс	punting	

Mounting type plug in

WS 5-5 - Warning label

0805331

https://www.phoenixcontact.com/us/products/0805331



Classifications

ECLASS

ECLASS-11.0	27281107
ECLASS-12.0	27281107
ECLASS-13.0	27281107

ETIM

	ETIM 9.0	EC001777
UNSPSC		
	UNSPSC 21.0	55121700

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com