GPK 610X610X1,5 WH/BK - Engraving plate



0806356

https://www.phoenixcontact.com/us/products/0806356

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Engraving plate, Plate, white, unlabeled, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: screw, rivet, lettering field size: 610 x 610 mm



Commercial data

Item number	0806356
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG19
Product key	BG2415
GTIN	4017918138431
Weight per piece (including packing)	576 g
Weight per piece (excluding packing)	754 g
Customs tariff number	39203000
Country of origin	DE

GPK 610X610X1,5 WH/BK - Engraving plate



0806356

https://www.phoenixcontact.com/us/products/0806356

Technical data

Product properties

	Product type	Device marking		
Mounting				
	Mounting type	screw, rivet		
Material specifications				
	Adhesive strength	50 μm		
	Adhesive	Acrylic		
	Color	white		
	Material	ABS		

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)			
Ambient conditions				
Ambient temperature (operation)	-20 °C 85 °C			
Recommended storage conditions	20°C/50% relative humidity. Storage in the original packaging is recommended.			
Recommended ambient temperature (storage/transport)	20 °C			
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)			
Shelf life	12 months			

Dimensions

Width	610 mm
Height	1.5 mm
Length	610 mm

GPK 610X610X1,5 WH/BK - Engraving plate



0806356

https://www.phoenixcontact.com/us/products/0806356

Classifications

ECLASS

ECLASS-11.0	27281103			
ECLASS-12.0	27281103			
ECLASS-13.0	27281103			
ETIM				
ETIM 9.0	EC001288			
UNSPSC				
UNSPSC 21.0	39131500			

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com