KMV - Cable marker



https://www.phoenixcontact.com/us/products/0806644



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable marker, Stainless steel label, silver, unlabeled, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: Assembly with cable ties, cable diameter range: 1 ... 63 mm, lettering field size: 65 x 19 mm

Your advantages

- Easy assembly with UNIFOX-CT M7,9
- · Secured using stainless steel cable binders
- · Cable markers for marking cables and conductors with larger cross sections
- The individual stainless steel markers are pushed onto the corresponding holders

Commercial data

Item number	0806644
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BG19
Product key	BG2415
Catalog page	Page 247 (C-3-2019)
GTIN	4017918138684
Weight per piece (including packing)	3.08 g
Weight per piece (excluding packing)	3.129 g
Customs tariff number	73269098
Country of origin	US

KMV - Cable marker



https://www.phoenixcontact.com/us/products/0806644



Technical data

Product properties

Product type	Conductor marking
Туре	Mounting set

Dimensions

Width	19 mm
Height	0.3 mm
Length	89 mm

External dimensions

Outside diameter	1 mm	63 mm
------------------	------	-------

Material specifications

RoHS compliant	yes
Color	silver
Material	Stainless steel

Cable/line

External cable diameter	1 mm 63 mm

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)	
Ambient conditions		
Ambient temperature (operation)	-80 °C 538 °C	
Recommended ambient temperature (storage/transport)	23 °C	
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)	

Mounting

	· · · · · · · · · · · · · · · · · · ·
Mounting type	Assembly with cable ties
0 71	

KMV - Cable marker



https://www.phoenixcontact.com/us/products/0806644



Classifications

ECLASS

	ECLASS-11.0	27281102
	ECLASS-12.0	27281102
	ECLASS-13.0	27281102
ETIM		
	ETIM 9.0	EC001530
UNSPSC		
	UNSPSC 21.0	39131500

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com