

GPAL 500X500X1,5 SR/BK/GD - Engraving plate for outdoor use



0814047

<https://www.phoenixcontact.com/us/products/0814047>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Engraving plate for outdoor use, Plate, silver/black, labeled according to customer specifications, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: screw, rivet, lettering field size: 500 x 500 mm



Commercial data

Item number	0814047
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BG19
Product key	BG2415
GTIN	4017918977764
Weight per piece (including packing)	754 g
Weight per piece (excluding packing)	610 g
Customs tariff number	76169990
Country of origin	DE

GPAL 500X500X1,5 SR/BK/GD - Engraving plate for outdoor use



0814047

<https://www.phoenixcontact.com/us/products/0814047>

Technical data

Product properties

Product type	Labeled device marker
--------------	-----------------------

Marking

Identification technology	Engraving
---------------------------	-----------

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

Mounting

Mounting type	screw, rivet
---------------	--------------

Material specifications

Color	silver/black
-------	--------------

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

Dimensions

Width	500 mm
Length	500 mm

GPAL 500X500X1,5 SR/BK/GD - Engraving plate for outdoor use



0814047

<https://www.phoenixcontact.com/us/products/0814047>

Classifications

ECLASS

ECLASS-11.0	27281103
ECLASS-12.0	27281103
ECLASS-13.0	27281103

ETIM

ETIM 9.0	EC001288
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com