

# GPA/SK 296X200X0,8 ... - Engraving plate for outdoor use



0814652  
<https://www.phoenixcontact.com/us/products/0814652>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Engraving plate for outdoor use, Plate, according to customer requirement, labeled according to customer specifications, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: adhesive, lettering field size: 296 x 200 mm



## Commercial data

Item number	0814652
Packing unit	12 pc
Minimum order quantity	12 pc
Note	Made to order (non-returnable)
Product key	BG2415
GTIN	4017918978471
Weight per piece (including packing)	70.4 g
Weight per piece (excluding packing)	69 g
Country of origin	DE

# GPA/SK 296X200X0,8 ... - Engraving plate for outdoor use



0814652

<https://www.phoenixcontact.com/us/products/0814652>

## Technical data

### Product properties

Product type	Labeled device marker
--------------	-----------------------

### Marking

Identification technology	Engraving
---------------------------	-----------

### Environmental and real-life conditions

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

### Mounting

Mounting type	adhesive
---------------	----------

### Material specifications

Color	according to customer requirement
Material	ABS

### Environmental and real-life conditions

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

#### Ambient conditions

Ambient temperature (operation)	-20 °C ... 85 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)

### Dimensions

Width	296 mm
Length	200 mm
Material strength	0.80 mm

# GPA/SK 296X200X0,8 ... - Engraving plate for outdoor use



0814652  
<https://www.phoenixcontact.com/us/products/0814652>

## Classifications

### ECLASS

ECLASS-11.0	27281103
ECLASS-12.0	27281103
ECLASS-13.0	27281103

### ETIM

ETIM 9.0	EC001288
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)