BMKL 12X12 WH CUS - Label sheet, DIN A4



0824238

https://www.phoenixcontact.com/us/products/0824238

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Label sheet, DIN A4, can be ordered: Sheet, white, labeled according to customer specifications, mounting type: adhesive, lettering field size: 12 x 12 mm, Number of individual labels: 273



Your advantages

- These labels have been specially developed for laser printers
- · Labeling service: Phoenix Contact can custom-label all BMKL ... markers according to your requirements
- · Can be printed on all commercially available laser printers
- The unperforated SK-U... sheets are available for custom label designs

Commercial data

| Item number | 0824238 |
|--------------------------------------|--------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Product key | BG8144 |
| Catalog page | Page 292 (C-5-2013) |
| GTIN | 4046356351133 |
| Weight per piece (including packing) | 10 g |
| Weight per piece (excluding packing) | 9 g |
| Country of origin | PL |

BMKL 12X12 WH CUS - Label sheet, DIN A4



0824238

https://www.phoenixcontact.com/us/products/0824238

Technical data

Product properties

| Product type | Labeled device marker | |
|-------------------------------------|-----------------------|--|
| Marking | | |
| Number of individual labels | 273 | |
| Number of individual labels per row | 13 | |
| Identification technology | Office laser printing | |

Environmental and real-life conditions

| Ambi | ent | cond | litin | ns |
|------|-----|------|-------|----|

| Ambient temperature (operation) -40 °C | C 100 °C |
|--|----------|
|--|----------|

Mounting

Material specifications

| Color | white |
|-----------------------|---------------|
| Material | Polyester |
| Base element material | Polyester |
| Components | Silicone-free |

Environmental and real-life conditions

Dimensions

| Width | 12 mm |
|--------|-------|
| Length | 12 mm |

Standards and regulations

| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|
|-----------------|-----------------------------|

BMKL 12X12 WH CUS - Label sheet, DIN A4



0824238

https://www.phoenixcontact.com/us/products/0824238

Classifications

ECLASS

| | ECLASS-11.0 | 27281103 | |
|--------|-------------|----------|--|
| | ECLASS-12.0 | 27281103 | |
| | ECLASS-13.0 | 27281103 | |
| ETIM | | | |
| | ETIM 9.0 | EC001288 | |
| UNSPSC | | | |
| | UNSPSC 21.0 | 39131500 | |

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com