## SS-3R 20X7 WH CUS - Contactor marker

0824467

https://www.phoenixcontact.com/us/products/0824467

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Contactor marker, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snapped into marker carrier, for terminal block width: 20 mm, lettering field size: 20 x 7 mm

## Commercial data

Item number	0824467
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8143
GTIN	4046356355186
Weight per piece (including packing)	5 g
Weight per piece (excluding packing)	4.6 g
Country of origin	PL

PHŒNIX

# SS-3R 20X7 WH CUS - Contactor marker

0824467

https://www.phoenixcontact.com/us/products/0824467



## Technical data

#### Product properties

Product type	Labeled device marker
Pitch	20 mm
Туре	high
Marking	
Identification technology	Plotter
nvironmental and real-life conditions Ambient conditions	
Ambient temperature (operation)	-40 °C 80 °C
lounting	
Mounting type	snapped into marker carrier
laterial specifications	
Color	white
Material	ABS
Material	
Flammability rating according to UL 94	VO

Ambient conditions	
Ambient temperature (operation)	-40 °C 80 °C

### Dimensions

Width	7 mm
Length	20 mm
Pitch	20 mm

### Standards and regulations

Wipe resistance	DIN 30646
	DIN VDE 0611-1

# SS-3R 20X7 WH CUS - Contactor marker

0824467

https://www.phoenixcontact.com/us/products/0824467



### Classifications

#### ECLASS

ECLASS-11.0	27281103
ECLASS-12.0	27281103
ECLASS-13.0	27281103

#### ETIM

	ETIM 9.0	EC001288	
U١	UNSPSC		
	UNSPSC 21.0	39131500	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com