ZBFM 8 CUS - Flat zack marker sheet



0825044

https://www.phoenixcontact.com/us/products/0825044

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Flat zack marker sheet, can be ordered: by sheet, white, labeled according to customer specifications, mounting type: snap into flat marker groove, for terminal block width: $8.2 \, \text{mm}$, lettering field size: $5 \times 8 \, \text{mm}$, Number of individual labels: $50 \, \text{mm}$



Commercial data

| Item number | 0825044 |
|--------------------------------------|--------------------------------|
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Note | Made to order (non-returnable) |
| Sales key | NULL |
| Product key | BG8113 |
| GTIN | 4046356357739 |
| Weight per piece (including packing) | 4.06 g |
| Weight per piece (excluding packing) | 4.06 g |
| Customs tariff number | 49119900 |
| Country of origin | DE |

ZBFM 8 CUS - Flat zack marker sheet



0825044

https://www.phoenixcontact.com/us/products/0825044

Technical data

Product properties

| Product type | Labeled terminal marker | |
|-------------------------------------|-------------------------|--|
| Pitch | 8.2 mm | |
| Туре | flat | |
| Marking | | |
| Number of individual labels | 50 | |
| Number of individual labels per row | 5 | |

Mounting

| Mounting type | snap into flat marker groove |
|---------------|------------------------------|
|---------------|------------------------------|

Material specifications

| Color | white |
|--|--------------------------------|
| Material | PA |
| Flammability rating according to UL 94 | V2 |
| Components | free from silicone and halogen |

Environmental and real-life conditions

Ambient conditions

| Ambient temperature (operation) | -40 °C 100 °C |
|---------------------------------|---------------|
|---------------------------------|---------------|

Dimensions

| Width | 8 mm |
|-------|--------|
| Pitch | 8.2 mm |

Standards and regulations

| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
|-----------------|-----------------------------|

ZBFM 8 CUS - Flat zack marker sheet



0825044

https://www.phoenixcontact.com/us/products/0825044

Classifications

ECLASS

| | ECLASS-11.0 | 27281101 | |
|--------|-------------|----------|--|
| | ECLASS-12.0 | 27281101 | |
| | ECLASS-13.0 | 27281101 | |
| ETIM | | | |
| | ETIM 9.0 | EC000761 | |
| UNSPSC | | | |
| | UNSPSC 21.0 | 39131500 | |

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com