GPK/SK296X200X0.8 YE/BK - Engraving plate



0826833

https://www.phoenixcontact.com/us/products/0826833

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Engraving plate, Plate, yellow/black, unlabeled, can be labeled with: P1 ENGRAVING UNIT, ENGRAVING UNIT, mounting type: adhesive, lettering field size: 296 x 200 mm

Commercial data

Item number	0826833
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BG2415
GTIN	4046356362412
Weight per piece (including packing)	65.19 g
Weight per piece (excluding packing)	61.11 g
Country of origin	DE

GPK/SK296X200X0.8 YE/BK - Engraving plate



0826833

https://www.phoenixcontact.com/us/products/0826833

Technical data

Product properties

	Product type	Device marking			
Mounting					
	Mounting type	adhesive			
Material specifications					
	Adhesive strength	50 μm			
	Adhesive	Acrylic			
	Color	yellow/black			
	Material	TRANSPLY-ABS			

Environmental and real-life conditions

UV resistance

Specification	ISO 4892-2:2013-03 (following)		
Ambient conditions			
Ambient temperature (operation)	-20 °C 85 °C		
Recommended storage conditions	20°C/50% relative humidity. Storage in the original packaging is recommended.		
Recommended ambient temperature (storage/transport)	20 °C		
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)		
Shelf life	12 months		

Dimensions

Width	296 mm
Height	0.8 mm
Length	200 mm
Material strength	0.80 mm

GPK/SK296X200X0.8 YE/BK - Engraving plate



0826833

https://www.phoenixcontact.com/us/products/0826833

Classifications

ECLASS

ECLASS-11.0	27281103	
ECLASS-12.0	27281103	
ECLASS-13.0	27281103	
ETIM		
ETIM 9.0	EC001288	
UNSPSC		
UNSPSC 21.0	39131500	

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com