

SBS10 CUS - Marker card



0828491
<https://www.phoenixcontact.com/us/products/0828491>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker card, can be ordered: by card, white, labeled according to customer specifications, mounting type: snap into tall marker groove, snap into flat marker groove, for terminal block width: 10 mm, lettering field size: 6 x 10.1 mm

Commercial data

Item number	0828491
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	BG24
Product key	BG8113
GTIN	4046356512626
Weight per piece (including packing)	7.801 g
Weight per piece (excluding packing)	7.801 g
Customs tariff number	49119900
Country of origin	DE

SBS10 CUS - Marker card

0828491

<https://www.phoenixcontact.com/us/products/0828491>



Technical data

Product properties

Product type	Labeled terminal marker
Pitch	10 mm
Type	flat

Mounting

Mounting type	snap into tall marker groove
---------------	------------------------------

Material specifications

Color	white
Material	cellulose acetate

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-30 °C ... 110 °C
---------------------------------	-------------------

Dimensions

Width	10.1 mm
Length	6 mm
Pitch	10 mm

Standards and regulations

Wipe resistance	DIN 30646
	DIN VDE 0611

Notes

General	labeled according to customer specifications
---------	----------------------------------------------

SBS10 CUS - Marker card



0828491
<https://www.phoenixcontact.com/us/products/0828491>

Classifications

ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

ETIM

ETIM 9.0	EC000761
----------	----------

UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com