

# ZBF 21,1:UNBEDRUCKT - Zack Marker strip, flat



0829457

<https://www.phoenixcontact.com/us/products/0829457>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Zack Marker strip, flat, Strip, white, unlabeled, can be labeled with: PLOTMARK, CMS-P1-PLOTTER, mounting type: snapped, for terminal block width: 21.1 mm, lettering field size: 21.1 x 5.2 mm, Number of individual labels: 40

## Your advantages

- Unlabeled marking strips can be custom-labeled with a plotter or by hand
- Other pitches available on request
- The ZBF zack marker strip system with flat marker groove is a marking solution for modular terminal blocks and electronics modules
- The multi-section marking strips are easy to fit and can be easily separated if required

## Commercial data

Item number	0829457
Packing unit	10 pc
Minimum order quantity	10 pc
Product key	BG2112
GTIN	4046356562140
Weight per piece (including packing)	2.1 g
Weight per piece (excluding packing)	2.1 g
Country of origin	DE

# ZBF 21,1:UNBEDRUCKT - Zack Marker strip, flat



0829457

<https://www.phoenixcontact.com/us/products/0829457>

## Technical data

### Notes

General	Can be labeled with CMS
General	Can be labeled with CMS

### Product properties

Product type	Terminal marking
Pitch	21.1 mm
Type	flat

### Marking

Number of individual labels	40
Number of individual labels per row	4
Number of marker strips	10

### Dimensions

Width	21.1 mm
Pitch	21.1 mm

### Material specifications

Color	white
Material	PA
	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

### Environmental and real-life conditions

#### UV resistance

Specification	ISO 4892-2:2013-03 (following)
---------------	--------------------------------

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

### Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
	DIN EN 61010-1 (VDE 0411-1)

### Mounting

Mounting type	snapped
---------------	---------

# ZBF 21,1:UNBEDRUCKT - Zack Marker strip, flat



0829457

<https://www.phoenixcontact.com/us/products/0829457>

## Classifications

### ECLASS

ECLASS-11.0	27281101
ECLASS-12.0	27281101
ECLASS-13.0	27281101

### ETIM

ETIM 9.0	EC000761
----------	----------

### UNSPSC

UNSPSC 21.0	39131500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)