

#### 0830715

https://www.phoenixcontact.com/us/products/0830715

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable marking flags, can be ordered: by line, white, labeled according to customer specifications, mounting type: adhesive, cable diameter:  $\leq 6$  mm, lettering field size: 20 x 10 mm

### Your advantages

- · Self-adhesive conductor marking as a flag
- · High-quality marking created by the thermal transfer printer
- · Resistant to solvents
- · Can be printed on both sides

### Commercial data

Item number	0830715
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BG8121
Catalog page	Page 198 (C-5-2013)
GTIN	4046356724593
Weight per piece (including packing)	1.99 g
Weight per piece (excluding packing)	1.99 g
Country of origin	PL



https://www.phoenixcontact.com/us/products/0830715

### Technical data

#### Product properties

Product type	Labeled conductor marker		
Туре	Label		
Marking			
Number of individual labels per row	1		
Identification technology	Thermal transfer for rolls		
Mounting			
Mounting type	adhesive		
Material specifications			
Color	white		
Material	Polyolefine		
Base element material	Vinyl film		
Components	free from silicone and halogen		
Environmental and real-life conditions			
Ambient conditions			
Ambient temperature (operation)	-40 °C 60 °C		
Dimensions			
Width	10 mm		
Length	20 mm		
External dimensions			
Outside diameter	0.5 mm 6 mm		
Standards and regulations			
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)		

PHŒNIX CONTACT



0830715

https://www.phoenixcontact.com/us/products/0830715

### Classifications

#### ECLASS

ECLASS-12.0 27281102	ECLASS-11.0	27281102
	ECLASS-12.0	27281102
ECLASS-13.0 2/281102	ECLASS-13.0	27281102

#### ETIM

	ETIM 9.0	EC001530			
UN	UNSPSC				
	UNSPSC 21.0	39131500			

0830715

https://www.phoenixcontact.com/us/products/0830715

### **PHŒNIX** CONTACT

### Environmental product compliance

**REACh SVHC** 

4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com