

## Fuse insert - S-II-16 A/500 V - 0913647

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Fuse insert, nominal current: 16 A, length: 50 mm, diameter: 22 mm, color: gray




### Your advantages

- ✓ Contains no lead, cadmium, chromium 6 (ROHS-compliant)
- ✓ Colored indicating pins on the butt contact show the operating state
- ✓ DIAZED® fuse-links with gG characteristic for protecting lines and equipment
- ✓ Safe shutoff of impermissible overcurrents and short-circuit currents up to the nominal shutoff current



### Key Commercial Data

Packing unit	1 pc
Minimum order quantity	5 pc
GTIN	 4 017918 008611
GTIN	4017918008611
Weight per Piece (excluding packing)	29.260 g
Custom tariff number	85361050
Country of origin	Hungary

### Technical data

#### General

Color	gray
-------	------

#### Dimensions

Length	50 mm
Diameter	22 mm

# Fuse insert - S-II-16 A/500 V - 0913647

## Technical data

### General

Nominal current $I_N$	16 A
Nominal voltage $U_N$	500 V AC/DC
Fuse	gL/gG DIAZED

### Ambient conditions

Operating temperature	-60 °C ... 85 °C
Ambient temperature (storage/transport)	-25 °C ... 55 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Permissible humidity (storage/transport)	30 % ... 70 %
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C

## Classifications

### eCl@ss

eCl@ss 10.0.1	27142004
eCl@ss 11.0	27142004
eCl@ss 4.0	27142000
eCl@ss 4.1	27142000
eCl@ss 5.0	27142000
eCl@ss 5.1	27142000
eCl@ss 6.0	27142000
eCl@ss 7.0	27142002
eCl@ss 9.0	27142004

### ETIM

ETIM 2.0	EC000899
ETIM 3.0	EC000899
ETIM 4.0	EC000899
ETIM 6.0	EC002704
ETIM 7.0	EC002704

### UNSPSC

UNSPSC 6.01	30211813
UNSPSC 7.0901	39121410
UNSPSC 11	39121412
UNSPSC 12.01	39121412
UNSPSC 13.2	39121627
UNSPSC 18.0	39121627

## Fuse insert - S-II-16 A/500 V - 0913647

### Classifications

#### UNSPSC

UNSPSC 19.0	39121627
UNSPSC 20.0	39121627
UNSPSC 21.0	39121627

### Approvals

#### Approvals

---

Approvals


EAC

---

Ex Approvals

---

#### Approval details

EAC		RU C- DE.BL08.B.00724
-----	---	--------------------------

---