## AK-DST/DIK - Marker carrier

1000779

https://www.phoenixcontact.com/us/products/1000779



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Marker label, for marking groups of terminal blocks with the top marker groove at an angle of  $60^{\circ}$  e. g. DIK terminal blocks, snaps into the marker groove, the marker carrier can be swung over by 120° and is labeled with EST 24 x 4 or ESL 24 x 4.

## Commercial data

Item number	1000779
Packing unit	50 рс
Minimum order quantity	50 рс
Sales key	BG12
Product key	BG211A
Catalog page	Page 339 (CL-2009)
GTIN	4017918010379
Weight per piece (including packing)	0.93 g
Weight per piece (excluding packing)	0.904 g
Customs tariff number	39269097
Country of origin	PL

# AK-DST/DIK - Marker carrier

1000779

https://www.phoenixcontact.com/us/products/1000779



## Technical data

#### Product properties

Product type	Marker carriers			
Dimensions				
Width	5 mm			
Material specifications				
Color	transparent			
Material	PA/PC			
Flammability rating according to UL 94	V2			
Components	free from silicone and halogen			

#### Environmental and real-life conditions

Ambient conditions		
-40 °C 100 °C	Ambient temperature (operation)	
23 °C	Recommended ambient temperature (storage/transport)	
50 %	Recommended humidity (storage/transport)	
50 %	Recommended humidity (storage/transport)	

#### Mounting

Mounting type	snapped
	erreichte eine

## AK-DST/DIK - Marker carrier

1000779

https://www.phoenixcontact.com/us/products/1000779



### Classifications

#### ECLASS

ECLASS-12.0 27281105   ECLASS-13.0 27281105	ECLASS-11.0	27281105
ECLASS-13.0 27281105	ECLASS-12.0	27281105
	ECLASS-13.0	27281105

#### ETIM

	ETIM 9.0	EC001530	
U١	UNSPSC		
	UNSPSC 21.0	39121400	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com