LM - Cable marker carrier



https://www.phoenixcontact.com/us/products/1004377



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Cable marker carrier, white, unlabeled, mounting type: Assembly with cable ties, cable diameter range: 1 ... 12 mm, lettering field size: 24 x 4 mm



Your advantages

- · An insert label is placed inside the sealing cap to protect the labeling against dirt
- · Plastic cable markers for marking and bundling conductors and cables indoors

Commercial data

Item number	1004377
Packing unit	100 pc
Minimum order quantity	100 pc
Sales key	BG12
Product key	BG231A
Catalog page	Page 237 (C-3-2019)
GTIN	4017918012069
Weight per piece (including packing)	0.888 g
Weight per piece (excluding packing)	0.884 g
Customs tariff number	39269097
Country of origin	DE

LM - Cable marker carrier



https://www.phoenixcontact.com/us/products/1004377



Technical data

Product properties

Product type	Marker carrier cable
Туре	Mounting set

Dimensions

Width	4 mm
Length	24 mm

External dimensions

Material specifications

Color	white
Material	PA
Flammability rating according to UL 94	V2
Components	free from silicone and halogen

Cable/line

External cable diameter	1 mm 12 mm

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C 100 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 %

Mounting

Mounting type	Assembly with cable ties

LM - Cable marker carrier



https://www.phoenixcontact.com/us/products/1004377



Classifications

ECLASS

	ECLASS-11.0	27281105
	ECLASS-12.0	27281105
	ECLASS-13.0	27281105
ETIM		
	ETIM 9.0	EC001530
UNSPSC		
	UNSPSC 21.0	39121400

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com