

# P-SS-ZB 100 - Zack marker strip carrier



1013737

<https://www.phoenixcontact.com/us/products/1013737>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Profile, self-adhesive, for accommodating SS-ZB labels, UC-EMP, UCT-EMP, length: 1 m

## Your advantages

- Self-adhesive marker carriers, sold by the meter for cutting to custom length
- The P-SS-ZB 100 is ideally suited for accommodating UC-EMP ..., UCT-EMP ...
- Powerful adhesion and optimum grip on standard device surfaces

## Commercial data

Item number	1013737
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG12
Product key	BG241A
Catalog page	Page 350 (C-3-2019)
GTIN	4017918013929
Weight per piece (including packing)	35 g
Weight per piece (excluding packing)	22.22 g
Customs tariff number	39269097
Country of origin	IT

# P-SS-ZB 100 - Zack marker strip carrier



1013737

<https://www.phoenixcontact.com/us/products/1013737>

## Technical data

### Product properties

Product type	Marker carriers
--------------	-----------------

### Dimensions

Width	10.9 mm
Length	1000 mm

### Material specifications

Color	gray
Material	PVC
Components	Silicone-free

### Environmental and real-life conditions

#### Test for substances that would hinder coating with paint or varnish

Result	Test passed
Specification	IEC 60068-2-2:2007-07
Result	Test passed
Duration	96 h
Temperature for testing	80 °C

#### Ambient conditions

Ambient temperature (operation)	-15 °C ... 80 °C
Recommended ambient temperature (storage/transport)	23 °C
Recommended humidity (storage/transport)	50 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	2 years

### Mounting

Mounting type	adhesive
---------------	----------

# P-SS-ZB 100 - Zack marker strip carrier



1013737

<https://www.phoenixcontact.com/us/products/1013737>

## Classifications

### ECLASS

ECLASS-11.0	27281105
ECLASS-12.0	27281105
ECLASS-13.0	27281105

### ETIM

ETIM 9.0	EC001530
----------	----------

### UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)