

PML-P108 (D50) - Prohibition sign

1014205

<https://www.phoenixcontact.com/us/products/1014205>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Prohibition sign, Sheet, red/white, labeled: Do not extinguish with water, mounting type: adhesive, diameter: 50 mm, lettering field size: Ø: 50 mm, Number of individual labels: 3

Your advantages

- Stick-on prohibition signs, preprinted with symbol
- Suitable for indoor and outdoor use
- The prohibition signs conform to the ISO 7010 international standard

Commercial data

Item number	1014205
Packing unit	5 pc
Minimum order quantity	1 pc
Product key	BG2624
Catalog page	Page 331 (C-5-2015)
GTIN	4046356785006
Weight per piece (including packing)	5.82 g
Weight per piece (excluding packing)	5.82 g
Country of origin	DE

PML-P108 (D50) - Prohibition sign



1014205

<https://www.phoenixcontact.com/us/products/1014205>

Technical data

Product properties

Type	circular
Product type	Prohibition sign printed
Area of application	Prohibition signs
	Prohibition marking according to ISO 7010

Marking

Number of individual labels	3
Printing	Do not extinguish with water

Dimensions

Width	50 mm
Height	50 mm
Diameter	50.00 mm

Material specifications

Color	red/white
Material	PVC
Components	Silicone-free

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-40 °C ... 90 °C
Ambient temperature (assembly)	> 10 °C
Recommended ambient temperature (storage/transport)	22 °C
Recommended humidity (storage/transport)	50 % ... 55 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	2 years

Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

Mounting

Mounting type	adhesive
---------------	----------

PML-P108 (D50) - Prohibition sign



1014205

<https://www.phoenixcontact.com/us/products/1014205>

Classifications

ECLASS

ECLASS-11.0	40200202
ECLASS-12.0	40200202
ECLASS-13.0	40200202

ETIM

ETIM 9.0	EC001777
----------	----------

UNSPSC

UNSPSC 21.0	55121700
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com