

# US-PML-P100 (D50) - Prohibition sign



1014217

<https://www.phoenixcontact.com/us/products/1014217>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Prohibition sign, Card, red/white, pre-printed, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, THERMOMARK PRIME, THERMOMARK CARD 2.0, THERMOMARK CARD: Diagonal bar, mounting type: adhesive, diameter: 50 mm, lettering field size: Ø: 50 mm, Number of individual labels: 4



## Your advantages

- UniSheet - stick-on prohibition signs, color preprinted without symbol

## Commercial data

Item number	1014217
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BG09
Product key	BG2619
Catalog page	Page 367 (C-3-2019)
GTIN	4046356786577
Weight per piece (including packing)	6.3 g
Weight per piece (excluding packing)	5.83 g
Customs tariff number	39203000
Country of origin	DE

# US-PML-P100 (D50) - Prohibition sign



1014217

<https://www.phoenixcontact.com/us/products/1014217>

## Technical data

### Product properties

Type	circular
Product type	Prohibition sign unprinted
Area of application	Prohibition signs
	Prohibition marking according to ISO 7010

### Marking

Number of individual labels	4
Printing	Diagonal bar

### Dimensions

Width	50 mm
Height	50 mm
Depth	0.09 mm
Diameter	50.00 mm
Min. material thickness	0.09 mm

### Material specifications

Color	red/white
Material	PVC
Components	Silicone-free

### Environmental and real-life conditions

#### Ambient conditions

Ambient temperature (operation)	-40 °C ... 90 °C
Ambient temperature (assembly)	> 10 °C
Recommended ambient temperature (storage/transport)	22 °C
Recommended humidity (storage/transport)	50 % ... 55 % (Storage in a dry and dark place in the original packaging is recommended)
Shelf life	2 years

### Standards and regulations

Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
-----------------	-----------------------------

### Mounting

Mounting type	adhesive
---------------	----------

# US-PML-P100 (D50) - Prohibition sign



1014217

<https://www.phoenixcontact.com/us/products/1014217>

## Classifications

### ECLASS

ECLASS-11.0	40200202
ECLASS-12.0	40200202
ECLASS-13.0	40200202

### ETIM

ETIM 9.0	EC001777
----------	----------

### UNSPSC

UNSPSC 21.0	55121700
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)