# P-ZB METER - Zack marker strip carrier



1051854

https://www.phoenixcontact.com/us/products/1051854

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Profile, self-adhesive, for accommodating UC-TM, UC-TMF, UCT-TM, UCT-TMF, US-TMF, ZB, ZBF, TMT, Length: 1 m

# Your advantages

- · Self-adhesive marker carriers, sold by the meter for cutting to custom length
- The P-ZB METER can accommodate marking material for the tall and flat marker grooves found on Phoenix Contact modular terminal blocks
- · Powerful adhesion and optimum grip on standard device surfaces

#### Commercial data

Item number	1051854
Packing unit	1 m
Minimum order quantity	1 m
Sales key	BG12
Product key	BG241A
Catalog page	Page 350 (C-3-2019)
GTIN	4017918016289
Weight per piece (including packing)	46 g
Weight per piece (excluding packing)	45.7 g
Customs tariff number	39162000
Country of origin	DE

# P-ZB METER - Zack marker strip carrier



1051854

https://www.phoenixcontact.com/us/products/1051854

# Technical data

### Product properties

Product type	Marker carriers
Pitch	1000 mm
Туре	high

#### **Dimensions**

Width	10.5 mm
Length	1000 mm
Pitch	1000 mm

### Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0

### Environmental and real-life conditions

#### UV resistance

ISO 4892-2:2013-03 (following)		
Ambient conditions		
-40 °C 100 °C		
23 °C		
50 %		

### Mounting

	Mounting type	snapped
--	---------------	---------

# P-ZB METER - Zack marker strip carrier



1051854

https://www.phoenixcontact.com/us/products/1051854

# Classifications

#### **ECLASS**

	ECLASS-11.0	27281101
	ECLASS-12.0	27281101
	ECLASS-13.0	27281101
ETIM		
	ETIM 9.0	EC000761
UNSPSC		
	UNSPSC 21.0	39131500

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com