

NS 32 CU/120QMM UNPERF 2000MM - DIN rail, unperforated



1201280

<https://www.phoenixcontact.com/us/products/1201280>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



DIN rail, unperforated, similar to EN 60715, material: Copper, uncoated, G profile, color: copper-colored

Commercial data

Item number	1201280
Packing unit	5 m
Minimum order quantity	5 m
Sales key	BE72
Product key	BE7256
Catalog page	Page 535 (C-3-2019)
GTIN	4017918017255
Weight per piece (including packing)	2,174 g
Weight per piece (excluding packing)	2,174 g
Customs tariff number	74072190
Country of origin	CH

NS 32 CU/120QMM UNPERF 2000MM - DIN rail, unperforated



1201280


<https://www.phoenixcontact.com/us/products/1201280>

Technical data

Product properties

Product type	DIN rail
--------------	----------

Dimensions

Dimensional drawing	
Width	32 mm
Height	2000 mm
Depth	15 mm
Length	2000 mm

Material specifications

Color	copper-colored
Material	Copper
Coating	uncoated

Standards and regulations

Connection in acc. with standard	IEC / EN
Tests	similar to EN 60715

NS 32 CU/120QMM UNPERF 2000MM - DIN rail, unperforated



1201280

<https://www.phoenixcontact.com/us/products/1201280>

Classifications

ECLASS

ECLASS-11.0	27400602
ECLASS-13.0	27400602
ECLASS-12.0	27400602

ETIM

ETIM 9.0	EC001285
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

NS 32 CU/120QMM UNPERF 2000MM - DIN rail, unperforated



1201280

<https://www.phoenixcontact.com/us/products/1201280>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com