

https://www.phoenixcontact.com/us/products/1201468



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adjustable cover holder, for mounting covers (up to 3 mm thick) on terminal blocks, can be used for CLIPFIX 35 and E/UK

## Your advantages

- · Large-surface labeling with AP-ES insert strips
- · Cover profiles provide protection against unauthorized actuation of terminal strips

### Commercial data

Item number	1201468
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BE07
Product key	BE712Z
Catalog page	Page 548 (C-3-2019)
GTIN	4017918017347
Weight per piece (including packing)	8.09 g
Weight per piece (excluding packing)	7.4 g
Customs tariff number	39269097
Country of origin	DE



https://www.phoenixcontact.com/us/products/1201468



## Technical data

### Product properties

	Product type	Cover profile			
Material specifications					
	Color	gray			
	Material	PA			
	Flammability rating according to UL 94	V2			

### Environmental and real-life conditions

#### Ambient conditions

7 William Conditions	
Ambient temperature (operation)	-60 °C 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C 70 °C
Ambient temperature (actuation)	-5 °C 70 °C
Permissible humidity (storage/transport)	30 % 70 %



https://www.phoenixcontact.com/us/products/1201468



## Classifications

UNSPSC 21.0

### **ECLASS**

ECLASS-	11.0	27371392	
ECLASS-	12.0	27371392	
ECLASS-	13.0	27371392	
ETIM			
ETIM 9.0		EC002498	
UNSPSC			

39121100

1201468

https://www.phoenixcontact.com/us/products/1201468



## Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com