ZAP 100 T - Crimping tool, pneumatic



https://www.phoenixcontact.com/us/products/1203262

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pneumatic crimping pliers, as table top version, for ferrules in accordance with DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross section 4 - 10 $\rm mm^2$

Your advantages

- · These crimping pliers have been specially developed for pre-assembling conductors
- · The crimping process is activated by a foot valve
- · Two integrated recesses allow quick access to the ferrules

Commercial data

Item number	1203262
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH32
Product key	BH3232
Catalog page	Page 509 (C-3-2019)
GTIN	4017918018153
Weight per piece (including packing)	2,939 g
Weight per piece (excluding packing)	2,928.4 g
Customs tariff number	84671900
Country of origin	DE

PHŒN

ZAP 100 T - Crimping tool, pneumatic



https://www.phoenixcontact.com/us/products/1203262



Technical data

Product properties

Product type	Crimping machine
Compression	trapezoidal
Air consumption per compression	0.2
Pressure range	4.00 bar 6.00 bar
Electrical properties	
Frequency range	0 Hz
Power consumption	0 W
Supply	
Supply voltage range	0 V
Connection data	
Conductor connection	
Cross section range, metric	4 mm ² 10 mm ²
Dimensions	
Width	140 mm
Height	70 mm
Length	200 mm

ZAP 100 T - Crimping tool, pneumatic

1203262

https://www.phoenixcontact.com/us/products/1203262



Classifications

ECLASS

ECLASS-11.0	17130101
ECLASS-12.0	17130101
ECLASS-13.0	17130101

ETIM

	ETIM 9.0	EC002778	
UNSPSC			
	UNSPSC 21.0	27111500	

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com