QUICK WIREFOX 6 - Stripping pliers



1204384

https://www.phoenixcontact.com/us/products/1204384

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool for cables with PVC insulation, stripping range: 0.08 to 6 mm², wire cutting up to 6 mm² flexible or 4 mm² rigid

Commercial data

Item number	1204384
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3121
Catalog page	Page 442 (C-6-2019)
GTIN	4017918018863
Weight per piece (including packing)	227.6 g
Weight per piece (excluding packing)	227 g
Customs tariff number	82032000
Country of origin	GB

QUICK WIREFOX 6 - Stripping pliers



1204384

https://www.phoenixcontact.com/us/products/1204384

Technical data

Material specifications

External cable diameter

Color

Cable/line

Notes

California Proposition 65 Further information on California's prop. 65 is available "Downloads" in the manufacturer's declaration duct properties Product type Stripping tool Set comprises 1202072 CRIMPSET 6 Innection data Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	General	Wire cutters up to 6 mm²
Further information on California's prop. 65 is available "Downloads" in the manufacturer's declaration aduct properties Product type Stripping tool Set comprises 1202072 CRIMPSET 6 Annection data Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	General	Wire cutters up to AWG 10
"Downloads" in the manufacturer's declaration oduct properties Product type Stripping tool Set comprises 1202072 CRIMPSET 6 Innection data Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	Environmental Product Compliance	
Product type Set comprises 1202072 CRIMPSET 6 Connection data Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 10 (Cutting zone)	California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Set comprises 1202072 CRIMPSET 6 Connection data Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	roduct properties	
Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	Product type	Stripping tool
Conductor connection Cross section range, metric 0.08 mm² 6 mm² (Stripping range) 6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	Set comprises	1202072 CRIMPSET 6
6 mm² (Cutting zone) Cross section range AWG 24 10 (Stripping range) 10 (Cutting zone)	onnection data Conductor connection	
Cross section range AWG 24 10 (Stripping range)	Cross section range, metric	0.08 mm² 6 mm² (Stripping range)
10 (Cutting zone)		6 mm² (Cutting zone)
	Cross section range AWG	24 10 (Stripping range)
imensions		10 (Cutting zone)
	imensions	
Length 205 mm	Length	205 mm

black

 $0.5\;mm\;...\;2.9\;mm$

QUICK WIREFOX 6 - Stripping pliers



1204384

https://www.phoenixcontact.com/us/products/1204384

Classifications

ECLASS

	ECLASS-11.0	21043706			
	ECLASS-12.0	21043706			
	ECLASS-13.0	21043706			
ETIM					
	ETIM 9.0	EC002109			
UNSPSC					
	UNSPSC 21.0	27111500			

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com