# SZK PH0 VDE - Screwdriver

1205147

https://www.phoenixcontact.com/us/products/1205147



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, PH crosshead, VDE insulated, size: PH 0 x 80 mm, 2-component grip, with non-slip grip

# Your advantages

- · Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head
- VDE approval

## Commercial data

Item number	1205147
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3145
Catalog page	Page 444 (C-3-2019)
GTIN	4017918019150
Weight per piece (including packing)	33.51 g
Weight per piece (excluding packing)	33.51 g
Customs tariff number	82054000
Country of origin	CZ

# SZK PH0 VDE - Screwdriver

1205147

https://www.phoenixcontact.com/us/products/1205147



# Technical data

## Notes

Environmental Product Compliance	Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration	
Product properties		
Туре	Phillips	
Product type	Screwdriver tools	

### Connection data

Dimensional drawing

Туре

Output	Crosshead/Phillips Recess

straight

#### Dimensions

Width	26 mm
Blade width	3 mm
Blade height	80 mm
Length	161 mm
Wrench size for mounting	0 mm

## Material specifications

Material alloyed tool steel	
-----------------------------	--

## Standards and regulations

	5	
	Tests	DIN/ISO 8764-1 PH IEC 60900:2004
Мо	punting	
	Wrench size	0 mm

# SZK PH0 VDE - Screwdriver

1205147

https://www.phoenixcontact.com/us/products/1205147



# Classifications

### ECLASS

ECLASS-11.0	21040406
ECLASS-12.0	21040406
ECLASS-13.0	21040406

## ETIM

	ETIM 9.0	EC000144
UNSPSC		
	UNSPSC 21.0	27111700

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com