SZS 1,0X5,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1209114



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, slot-headed, VDE insulated, size: 1.0 x 5.5 x 125 mm, 2-component grip, with non-slip grip

Your advantages

- For working on or in the vicinity of live parts up to 1000 V AC or 1500 V DC
- · The tools feature ergonomic two-component safety handles
- · Large contact surface of blades inside screw head
- · Individually tested safety screwdrivers according to DIN EN 60900 (VDE 0682-201)

Commercial data

Item number	1209114
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3144
Catalog page	Page 442 (C-3-2019)
GTIN	4046356357135
Weight per piece (including packing)	78.2 g
Weight per piece (excluding packing)	74.6 g
Customs tariff number	82054000
Country of origin	CZ

SZS 1,0X5,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1209114



Technical data

Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
roduct properties	
Туре	Bladed
Product type	Screwdriver tools
Туре	straight
onnection data	
Output	Bladed
imensions	
Width	33 mm
Blade width	5.5 mm
Blade height	125 mm
Length	223 mm
Wrench size for mounting	0 mm
Blade thickness	1 mm
aterial specifications	
Material	alloyed tool steel
tandards and regulations	
Tests	DIN/ISO 2380-1 IEC 60900:2004
ounting	
Wrench size	0 mm

SZS 1,0X5,5 VDE - Screwdriver



https://www.phoenixcontact.com/us/products/1209114



Classifications

ECLASS

	ECLASS-11.0	21040407		
	ECLASS-12.0	21040407		
	ECLASS-13.0	21040407		
ETIM				
	ETIM 9.0	EC000158		
UNSPSC				
	UNSPSC 21.0	27111700		

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com