

TSD 20 SAC - Torque screwdriver



1212020

<https://www.phoenixcontact.com/us/products/1212020>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Torque screwdriver, with preset torque of 2.0 Nm and 4 mm hexagonal drive for the pressure nut of the fast connection

Your advantages

- For the TSD-M... torque screwdrivers the torque can be set individually
- The TSD-M... adapters can accommodate the various nuts
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- Wide range of SAC... nuts for various different applications

Commercial data

Item number	1212020
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH314A
Catalog page	Page 460 (C-3-2019)
GTIN	4046356439305
Weight per piece (including packing)	100.7 g
Weight per piece (excluding packing)	94.3 g
Customs tariff number	82054000
Country of origin	CZ

TSD 20 SAC - Torque screwdriver



1212020

<https://www.phoenixcontact.com/us/products/1212020>

Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Type

Hexagonal SW4

Product type

Torque tool

Connection data

Torque range

2 Nm ... 2 Nm

Output

External hexagonal

Dimensions

Width

37 mm

Blade width

0 mm

Blade height

100 mm

Length

205 mm

Blade thickness

0 mm

Material specifications

Color

black

TSD 20 SAC - Torque screwdriver



1212020

<https://www.phoenixcontact.com/us/products/1212020>

Classifications

ECLASS

ECLASS-11.0	21040417
ECLASS-12.0	21040417
ECLASS-13.0	21040417

ETIM

ETIM 9.0	EC011814
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com