CRIMPFOX 6S-F - Crimping pliers



https://www.phoenixcontact.com/us/products/1212043



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.5 mm² ... 6 mm², front entry, square crimp

Your advantages

- · All ferrules can be optimally crimped with a minimum amount of effort even in the case of large conductor cross sections
- · Unlockable pressure lock
- · Comprehensive range of crimping pliers
- · Consistently high crimping quality
- · Marked die stations for precise processing of corresponding cross sections

Commercial data

Item number	1212043
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3131
Catalog page	Page 419 (C-3-2019)
GTIN	4046356453875
Weight per piece (including packing)	460.69 g
Weight per piece (excluding packing)	426.16 g
Customs tariff number	82032000
Country of origin	SE

CRIMPFOX 6S-F - Crimping pliers



https://www.phoenixcontact.com/us/products/1212043



Technical data

Notes

	D	O !!
Environmental	Product	Compliance

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

Product properties

Product type	Crimping tool
Compression	Square crimp
Crimping position 1	
Min. cross section	0.5 mm²
Max. cross section	6 mm²
AWG min	20

10

Connection data

AWG max

Conductor connection

Cross section range, metric	0.5 mm² 6 mm²
Cross section range AWG	20 10

Dimensions

Width	18 mm
Height	59 mm
Length	198 mm

Material specifications

Color	black

CRIMPFOX 6S-F - Crimping pliers



1212043

https://www.phoenixcontact.com/us/products/1212043

Classifications

ECLASS

	ECLASS-11.0	21043811
	ECLASS-12.0	21043811
	ECLASS-13.0	21043811
ETIM		
	ETIM 9.0	EC000168
UNSPSC		
	UNSPSC 21.0	27111500

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com