

https://www.phoenixcontact.com/us/products/1212045



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.14 mm² ... 10 mm², unlockable pressure lock, lateral entry

Your advantages

- · The way in which the handles and the die are arranged means that the ferrules can be fitted however the tool is held
- · These compact crimping pliers have been designed to reduce effort when working

Commercial data

Item number	1212045
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3131
Catalog page	Page 392 (C-5-2015)
GTIN	4046356455732
Weight per piece (including packing)	516.6 g
Weight per piece (excluding packing)	439.7 g
Customs tariff number	82032000
Country of origin	DE



https://www.phoenixcontact.com/us/products/1212045



Technical data

Notes

Environmenta	l Product	t Compliance
--------------	-----------	--------------

California Proposition 65	Further information on California's prop. 65 is available under
	"Downloads" in the manufacturer's declaration

Product properties

Crimping tool
Square crimp
0.14 mm²
10 mm²

25

7

Conne		.1 . 1 .
Conne	nction	anta

AWG min

AWG max

Conductor connection

Cross section range, metric	0.14 mm² 10 mm²
Cross section range AWG	25 7

Dimensions

Length	175 mm

Material specifications

Color black	ck
-------------	----



1212045

https://www.phoenixcontact.com/us/products/1212045

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	21043811
	ECLASS-12.0	21043811
	ECLASS-13.0	21043811
ETIM		
	ETIM 9.0	EC000168
UN:	SPSC	

27111500



https://www.phoenixcontact.com/us/products/1212045



Environmental product compliance

REACh SVHC Lead 7439-92-1

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com