

# CRIMPFOX-SC 6 - Crimping pliers



1212050

<https://www.phoenixcontact.com/us/products/1212050>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Crimping pliers, for uninsulated slip-on sleeves 2.8, 4.8, and 6.3 mm, 0.5 - 6 mm<sup>2</sup>, B crimp



## Your advantages

- Ergonomically designed handles
- Unlockable pressure lock
- Consistently high crimping quality
- Marked die stations for precise processing of corresponding cross sections

## Commercial data

Item number	1212050
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3134
Catalog page	Page 429 (C-3-2019)
GTIN	4046356453950
Weight per piece (including packing)	674.8 g
Weight per piece (excluding packing)	674.8 g
Customs tariff number	82032000
Country of origin	SE

# CRIMPFOX-SC 6 - Crimping pliers



1212050

<https://www.phoenixcontact.com/us/products/1212050>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Product properties

Product type	Crimping tool
Compression	B crimp

#### Crimping position 1

Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	22
AWG max	16

#### Crimping position 2

Min. cross section	1.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	16
AWG max	14

#### Crimping position 3

Min. cross section	2.5 mm <sup>2</sup>
Max. cross section	6 mm <sup>2</sup>
AWG min	14
AWG max	10

### Connection data

#### Conductor connection

Cross section range, metric	0.5 mm <sup>2</sup> ... 6 mm <sup>2</sup>
Cross section range AWG	20 ... 10

### Dimensions

Width	25 mm
Height	68 mm
Length	256 mm

### Material specifications

Color	black
-------	-------

# CRIMPFOX-SC 6 - Crimping pliers



1212050

<https://www.phoenixcontact.com/us/products/1212050>

## Classifications

### ECLASS

ECLASS-11.0	21043811
ECLASS-12.0	21043811
ECLASS-13.0	21043811

### ETIM

ETIM 9.0	EC000168
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)