

# CRIMPFOX-M RCI 2,5/DIE - Crimp insert



1212074

<https://www.phoenixcontact.com/us/products/1212074>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Die, for Crimpfox-M, for insulated cable lugs 0.5 - 1.5 mm<sup>2</sup> and 1.5 - 2.5 mm<sup>2</sup> (red, blue), packed in a serial storage box

## Commercial data

Item number	1212074
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH313Y
Catalog page	Page 436 (C-3-2019)
GTIN	4046356452533
Weight per piece (including packing)	78.31 g
Weight per piece (excluding packing)	74.2 g
Customs tariff number	82032000
Country of origin	DE

# CRIMPFOX-M RCI 2,5/DIE - Crimp insert



1212074

<https://www.phoenixcontact.com/us/products/1212074>

## Technical data

### Product properties

Product type	Die
Compression	Oval crimp

#### Crimping position 1

Min. cross section	0.5 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	22
AWG max	16

#### Crimping position 2

Min. cross section	1.5 mm <sup>2</sup>
Max. cross section	2.5 mm <sup>2</sup>
AWG min	16
AWG max	14

### Connection data

#### Conductor connection

Cross section range, metric	0.5 mm <sup>2</sup> ... 2.5 mm <sup>2</sup>
-----------------------------	---

### Dimensions

Width	75 mm
Height	25.5 mm
Length	114 mm

### Material specifications

Color	black
-------	-------

# CRIMPFOX-M RCI 2,5/DIE - Crimp insert



1212074

<https://www.phoenixcontact.com/us/products/1212074>

## Classifications

### ECLASS

ECLASS-11.0	21049090
ECLASS-12.0	21049090
ECLASS-13.0	21043892

### ETIM

ETIM 9.0	EC001282
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)