

# CRIMPFOX-M 10/DIE - Crimp insert

1212080

<https://www.phoenixcontact.com/us/products/1212080>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Die, for Crimpfox-M, for ferrules 0.25 - 10 mm<sup>2</sup>, packed in a serial storage box



## Commercial data

Item number	1212080
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH313Y
Catalog page	Page 436 (C-3-2019)
GTIN	4046356454506
Weight per piece (including packing)	93.04 g
Weight per piece (excluding packing)	88 g
Customs tariff number	82032000
Country of origin	SE

# CRIMPFOX-M 10/DIE - Crimp insert



1212080

<https://www.phoenixcontact.com/us/products/1212080>

## Technical data

### Product properties

Product type	Die
Compression	Trapezoidal crimp

#### Crimping position 1

Min. cross section	0.25 mm <sup>2</sup>
Max. cross section	0.75 mm <sup>2</sup>
AWG min	24
AWG max	20

#### Crimping position 2

Min. cross section	1 mm <sup>2</sup>
Max. cross section	1.5 mm <sup>2</sup>
AWG min	18
AWG max	16

#### Crimping position 3

Max. cross section	2.5 mm <sup>2</sup>
AWG max	14

#### Crimping position 4

Max. cross section	4 mm <sup>2</sup>
AWG max	12

#### Crimping position 5

Max. cross section	6 mm <sup>2</sup>
AWG max	10

#### Crimping position 6

Max. cross section	10 mm <sup>2</sup>
AWG max	8

### Connection data

#### Conductor connection

Cross section range, metric	0.25 mm <sup>2</sup> ... 10 mm <sup>2</sup>
Cross section range AWG	24 ... 8

### Dimensions

Width	75 mm
Height	25.5 mm
Length	114 mm

### Material specifications

Color	black
-------	-------

# CRIMPFOX-M 10/DIE - Crimp insert



1212080

<https://www.phoenixcontact.com/us/products/1212080>

## Classifications

### ECLASS

ECLASS-11.0	21049090
ECLASS-12.0	21049090
ECLASS-13.0	21043892

### ETIM

ETIM 9.0	EC001282
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)