

# SF-PHSL 1-80 VDE - Screwdriver



1212283

<https://www.phoenixcontact.com/us/products/1212283>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, positive/negative PH slot, VDE-isolated, size: PH 1 x 80, two component handle, with non-slip grip

## Your advantages

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head
- VDE approval

## Commercial data

Item number	1212283
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3145
Catalog page	Page 445 (C-3-2019)
GTIN	4046356455183
Weight per piece (including packing)	61.37 g
Weight per piece (excluding packing)	61.37 g
Customs tariff number	82054000
Country of origin	CZ

# SF-PHSL 1-80 VDE - Screwdriver



1212283

<https://www.phoenixcontact.com/us/products/1212283>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Type

Phillips

Product type

Screwdriver tools

Type

straight

### Connection data

Output

Phillips Recess/plus-minus

### Dimensions

Width

26 mm

Blade width

4.5 mm

Blade height

80 mm

Length

178 mm

Wrench size for mounting

0 mm

### Material specifications

Material

alloyed tool steel

### Standards and regulations

Tests

IEC 60900:2004

### Mounting

Wrench size

0 mm

# SF-PHSL 1-80 VDE - Screwdriver



1212283

<https://www.phoenixcontact.com/us/products/1212283>

## Classifications

### ECLASS

ECLASS-11.0	21040406
ECLASS-12.0	21040406
ECLASS-13.0	21040406

### ETIM

ETIM 9.0	EC000144
----------	----------

### UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)