

# UNIFOX-F VDE - Flat-nosed pliers



1212363

<https://www.phoenixcontact.com/us/products/1212363>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Flat-nose pliers, finely notched grip area, VDE 1000 V AC/1500 V DC tested

## Your advantages

- Ergonomic handle design to eliminate fatigue when working
- Notched grip areas
- UNIFOX ... VDE-insulated flat-nose, round-nose, and water pump pliers
- Excellent transformation ratios for optimum gripping performance
- Forged die hardened in oil for maximum durability

## Commercial data

Item number	1212363
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3161
Catalog page	Page 396 (C-3-2019)
GTIN	4046356455671
Weight per piece (including packing)	175 g
Weight per piece (excluding packing)	175 g
Customs tariff number	82032000
Country of origin	DE

# UNIFOX-F VDE - Flat-nosed pliers



1212363

<https://www.phoenixcontact.com/us/products/1212363>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

### Product properties

Product type

Universal tools

### Dimensions

Length

160 mm

### Material specifications

Color

black

### Standards and regulations

Tests

DIN EN 60900 (VDE 0682 PART 201)

DIN ISO 5745

# UNIFOX-F VDE - Flat-nosed pliers



1212363

<https://www.phoenixcontact.com/us/products/1212363>

## Classifications

### ECLASS

ECLASS-11.0	21043817
ECLASS-12.0	21043817
ECLASS-13.0	21043817

### ETIM

ETIM 9.0	EC000833
----------	----------

### UNSPSC

UNSPSC 21.0	27112100
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)