

https://www.phoenixcontact.com/us/products/1212428



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Tool case, equipped with: cable cutter, diagonal cutter, combination and needle-nose pliers, stripping pliers, stripping pliers, screwdrivers, control cabinet key, sample set, box of ferrules

### Commercial data

Item number	1212428
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3511
GTIN	4046356514613
Weight per piece (including packing)	6,768 g
Weight per piece (excluding packing)	6,768 g
Customs tariff number	82060000
Country of origin	DE



https://www.phoenixcontact.com/us/products/1212428



#### Set consists of

#### SAMPLE-TOOL-CASE - Toolbox

1208319

https://www.phoenixcontact.com/us/products/1208319



Toolbox, without instruments, with rubber straps as tool fixtures

### CRIMPFOX 10S - Crimping pliers

1212045

https://www.phoenixcontact.com/us/products/1212045



Crimping pliers, for ferrules without insulating collar according to DIN 46228 Part 1 and ferrules with insulating collar according to DIN 46228 Part 4, 0.14  $\text{mm}^2$  ... 10  $\text{mm}^2$ , unlockable pressure lock, lateral entry



https://www.phoenixcontact.com/us/products/1212428



### CRIMPFOX-RCI 6 - Crimping pliers

1212057

https://www.phoenixcontact.com/us/products/1212057



Crimping pliers, for insulated cable lugs, 0.5  $\text{mm}^2$  ... 6.0  $\text{mm}^2$  (red, blue, yellow), oval crimp, symmetrical

#### CUTFOX 18 - Cable-cutting tool

1212129

https://www.phoenixcontact.com/us/products/1212129



Cable cutter, angled, for copper and aluminum up to 18 mm diameter (up to  $50 \text{ mm}^2$ )



https://www.phoenixcontact.com/us/products/1212428



### CUTFOX-S VDE - Diagonal cutter

1212207

https://www.phoenixcontact.com/us/products/1212207



Diagonal cutter for hard (piano wire) and soft wires, VDE 1000 V AC/1500 V DC tested

### UNIFOX-C VDE - Combination pliers

1212202

https://www.phoenixcontact.com/us/products/1212202



Combination pliers, notched gripping surface, VDE 1000 V AC/1500 V DC tested, size: 180 mm



https://www.phoenixcontact.com/us/products/1212428



#### UNIFOX-P VDE - Pointed pliers

1212204

https://www.phoenixcontact.com/us/products/1212204



Needle-nose pliers with blade, notched grip area, VDE 1000 V AC/1500 V DC tested

#### WIREFOX 10 - Stripping tool

1212150

https://www.phoenixcontact.com/us/products/1212150



Stripping tool, for cables and conductors from 0.02 - 10  $\text{mm}^2$ , self-adjusting, stripping length of up to 18 mm, cutting capacity of up to 10  $\text{mm}^2$  stranded/1.5  $\text{mm}^2$  solid, replaceable stripping blade



https://www.phoenixcontact.com/us/products/1212428



#### WIREFOX-D 11 - Stripping tool

1212160

https://www.phoenixcontact.com/us/products/1212160



Stripping tool, for stripping multicore signal, control and fiberglass wires of Ø 2.5 - 11 mm. Insulation thickness up to 1 mm

#### WIREFOX-D 40 - Stripping tool

1212161

https://www.phoenixcontact.com/us/products/1212161



Stripping tool, for stripping cables of 4.5 mm - 40 mm-Ø, insulation thickness of up to 4.5 mm, pivoting blade for round, lengthwise, and spiral cuts



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZF 0-0,4X2,5 - Screwdriver

1204504

https://www.phoenixcontact.com/us/products/1204504



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size:  $0.4 \times 2.5 \times 75$  mm, 2-component grip, with non-slip grip

#### SZF 1-0,6X3,5 - Screwdriver

1204517

https://www.phoenixcontact.com/us/products/1204517



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size:  $0.6 \times 3.5 \times 100$  mm, 2-component grip, with non-slip grip



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZF 2-0,8X4,0 - Screwdriver

1204520

https://www.phoenixcontact.com/us/products/1204520



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size:  $0.8 \times 4.0 \times 100$  mm, 2-component grip, with non-slip grip

#### SZF 3-1,0X5,5 - Screwdriver

1206612

https://www.phoenixcontact.com/us/products/1206612



Actuation tool, for ST terminal blocks, also suitable for use as a bladed screwdriver, size:  $1.0 \times 5.5 \times 150$  mm, 2-component grip, with non-slip grip



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZS 0,4X2,5 VDE - Screwdriver

1205037

https://www.phoenixcontact.com/us/products/1205037



Screwdriver, slot-headed, VDE insulated, size: 0.4 x 2.5 x 80 mm, 2-component grip, with non-slip grip

#### SZS 0,5X3,0 VDE - Screwdriver

1207404

https://www.phoenixcontact.com/us/products/1207404



Screwdriver, slot-headed, VDE insulated, size:  $0.5 \times 3.0 \times 100$  mm, 2-component grip, with non-slip grip



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZS 1,0X4,0 VDE - Screwdriver

1205066

https://www.phoenixcontact.com/us/products/1205066



Screwdriver, slot-headed, VDE insulated, size:  $1.0 \times 4.0 \times 100$  mm, 2-component grip, with non-slip grip

#### SZS 1,0X6,5 VDE - Screwdriver

1205079

https://www.phoenixcontact.com/us/products/1205079



Screwdriver, slot-headed, VDE insulated, size:  $1.0 \times 6.5 \times 150$  mm, 2-component grip, with non-slip grip



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZK PH1 VDE - Screwdriver

1205150

https://www.phoenixcontact.com/us/products/1205150



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip

#### SZK PH2 VDE - Screwdriver

1205163

https://www.phoenixcontact.com/us/products/1205163



Screwdriver, PH crosshead, VDE insulated, size: PH 2  $\times$  100 mm, 2-component grip, with non-slip grip



1212428

https://www.phoenixcontact.com/us/products/1212428

#### SZK PZ1 VDE - Screwdriver

1206450

https://www.phoenixcontact.com/us/products/1206450



Screwdriver, PZ crosshead, VDE insulated, size: PZ 1 x 80 mm, 2-component grip, with non-slip grip

#### SZK PZ2 VDE - Screwdriver

1206463

https://www.phoenixcontact.com/us/products/1206463



Screwdriver, PZ crosshead, VDE insulated, size: PZ  $2 \times 100$  mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212428



#### USS 4 - Control cabinet key

1203149

https://www.phoenixcontact.com/us/products/1203149



Control cabinet key, metal, for all common types of control cabinet

#### SAMPLE-TOOL-CASE-CABLE-SET - Sample set

1208335

https://www.phoenixcontact.com/us/products/1208335



Tool sample set



https://www.phoenixcontact.com/us/products/1212428



### AI SORTI BOX RD - Range box

3202960

https://www.phoenixcontact.com/us/products/3202960



Assortment box, supplied with ferrules according to DIN 46228-4: 1990-09, 50 pcs. of each. Al 0,5-8 WH, Al 2,5-8 BU, 100 pcs. Al 0,75-8 GY, Al 1-8 RD, Al 1,5-8 BK



https://www.phoenixcontact.com/us/products/1212428



### Technical data

#### Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration		
oduct properties			
Product type	Tool set		
Type of packaging	Case		
Dimensions			
Width	475 mm		
Height	110 mm		
	425 mm		



1212428

https://www.phoenixcontact.com/us/products/1212428

### Classifications

#### **ECLASS**

	ECLASS-11.0	21045003		
	ECLASS-12.0	21045003		
	ECLASS-13.0	21045003		
ETIM				
	ETIM 9.0	EC000149		
UNSPSC				
	UNSPSC 21.0	27113200		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com