

https://www.phoenixcontact.com/us/products/1212503



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Tool bag, equipped with: cable cutter, diagonal cutter, stripping pliers, NYM stripping tool, stripping tool for removing sheath, crimping pliers, crimping die for ferrules, combination, needlenose, and water pump pliers, VDE screwdriver, bladed: $0.4 \times 2.5/0.5 \times 3.0/1.0 \times 4.0/1.0 \times 6.5$, Philips: PHO/PH1/PH2, voltage tester, control cabinet key, knife, tape measure

Commercial data

Item number	1212503
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3521
Catalog page	Page 469 (C-3-2019)
GTIN	4046356528399
Weight per piece (including packing)	4,970 g
Weight per piece (excluding packing)	4,800 g
Customs tariff number	82060000
Country of origin	DE



https://www.phoenixcontact.com/us/products/1212503



Set consists of

CUTFOX-S VDE - Diagonal cutter

1212207

https://www.phoenixcontact.com/us/products/1212207



Diagonal cutter for hard (piano wire) and soft wires, VDE 1000 V AC/1500 V DC tested

CUTFOX 18 - Cable-cutting tool

1212129

https://www.phoenixcontact.com/us/products/1212129



Cable cutter, angled, for copper and aluminum up to 18 mm diameter (up to 50 mm^2)



https://www.phoenixcontact.com/us/products/1212503



WIREFOX 10 VDE - Stripping tool

1212366

https://www.phoenixcontact.com/us/products/1212366



Stripping pliers, for removing the sheath from cables up to 5 mm in diameter, for stripping conductors with a cross section of up to $10~\text{mm}^2$, scale for measuring the stripping length; VDE-tested.

WIREFOX-D 13 - Stripping tool

1212162

https://www.phoenixcontact.com/us/products/1212162



Stripping tool, for stripping installation lines of Ø 8 - 13 mm , e.g. NYM 3 x 1.5 mm 2 to 5 x 2.5 mm 2 , single line stripping 0.2 mm 2 - 4 mm 2 , with longitudinal cut blade and sliding knife



https://www.phoenixcontact.com/us/products/1212503



WIREFOX-D 28 - Stripping tool

1212174

https://www.phoenixcontact.com/us/products/1212174



Stripping tool, for stripping lines of \varnothing 8 - 28 mm

CRIMPFOX-M - Crimping pliers

1212072

https://www.phoenixcontact.com/us/products/1212072



Basic pliers, for accommodating dies for a wide range of type of contacts



https://www.phoenixcontact.com/us/products/1212503



CRIMPFOX-M 10/DIE - Crimp insert

1212080

https://www.phoenixcontact.com/us/products/1212080



Die, for Crimpfox-M, for ferrules 0.25 - 10 mm², packed in a serial storage box

UNIFOX-CE VDE - Combination pliers

1212203

https://www.phoenixcontact.com/us/products/1212203



Combination pliers, angled design, with opening spring and locking device, cross-notched grip area, integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested



https://www.phoenixcontact.com/us/products/1212503



UNIFOX-P VDE - Pointed pliers

1212204

https://www.phoenixcontact.com/us/products/1212204



Needle-nose pliers with blade, notched grip area, VDE 1000 V AC/1500 V DC tested

UNIFOX-WP - Water pump pliers

1212365

https://www.phoenixcontact.com/us/products/1212365



Water pump pliers, with groove joint, grip areas with dual notching, acc. to VDE ISO 8976



https://www.phoenixcontact.com/us/products/1212503



SZS 0,4X2,5 VDE - Screwdriver

1205037

https://www.phoenixcontact.com/us/products/1205037



Screwdriver, slot-headed, VDE insulated, size: 0.4 x 2.5 x 80 mm, 2-component grip, with non-slip grip

SZS 0,5X3,0 VDE - Screwdriver

1207404

https://www.phoenixcontact.com/us/products/1207404



Screwdriver, slot-headed, VDE insulated, size: $0.5 \times 3.0 \times 100$ mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212503



SZS 1,0X4,0 VDE - Screwdriver

1205066

https://www.phoenixcontact.com/us/products/1205066



Screwdriver, slot-headed, VDE insulated, size: $1.0 \times 4.0 \times 100$ mm, 2-component grip, with non-slip grip

SZS 1,0X6,5 VDE - Screwdriver

1205079

https://www.phoenixcontact.com/us/products/1205079



Screwdriver, slot-headed, VDE insulated, size: $1.0 \times 6.5 \times 150$ mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212503



SZK PH0 VDE - Screwdriver

1205147

https://www.phoenixcontact.com/us/products/1205147



Screwdriver, PH crosshead, VDE insulated, size: PH 0 x 80 mm, 2-component grip, with non-slip grip

SZK PH1 VDE - Screwdriver

1205150

https://www.phoenixcontact.com/us/products/1205150



Screwdriver, PH crosshead, VDE insulated, size: PH 1 x 80 mm, 2-component grip, with non-slip grip



https://www.phoenixcontact.com/us/products/1212503



SZK PH2 VDE - Screwdriver

1205163

https://www.phoenixcontact.com/us/products/1205163



Screwdriver, PH crosshead, VDE insulated, size: PH 2 x 100 mm, 2-component grip, with non-slip grip

DUSPOL EXPERT - Voltage tester

1209091

https://www.phoenixcontact.com/us/products/1209091



Voltage tester, for DC and AC voltages from 12 V to 1000 V AC/1000 V DC, IP65



https://www.phoenixcontact.com/us/products/1212503



USS 4 - Control cabinet key

1203149

https://www.phoenixcontact.com/us/products/1203149



Control cabinet key, metal, for all common types of control cabinet

TOOL-CARRIER EMPTY - Toolbag, unequipped

1212499

https://www.phoenixcontact.com/us/products/1212499



Tool bag, unequipped



https://www.phoenixcontact.com/us/products/1212503



MEASURING TAPE 5M I/M - Measuring instrument

1200304

https://www.phoenixcontact.com/us/products/1200304



Measuring tape with automatic tape feed and locking mechanism, measuring rail: imperial/metric, length: $5\ m$



https://www.phoenixcontact.com/us/products/1212503



Technical data

Notes

Tool set
Bag
185 mm
220 mm
290 mm



https://www.phoenixcontact.com/us/products/1212503



Classifications

ECLASS

	ECLASS-11.0	21045003		
	ECLASS-12.0	21045003		
	ECLASS-13.0	21045003		
ETIM				
	ETIM 9.0	EC000149		
UNSPSC				
	UNSPSC 21.0	27113200		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com