

WIREFOX-D SR 6 - Stripping tool



1212507

<https://www.phoenixcontact.com/us/products/1212507>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping tool, for 2.5 - 6 mm² solar cables, 8.5 mm stripping length, for MC3, MC4 and SOLARLOK contacts

Your advantages

- Large selection of precision stripping tools
- The right tool for every application

Commercial data

Item number	1212507
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3122
Catalog page	Page 413 (C-3-2019)
GTIN	4046356543057
Weight per piece (including packing)	50 g
Weight per piece (excluding packing)	34.1 g
Customs tariff number	82032000
Country of origin	SE

WIREFOX-D SR 6 - Stripping tool



1212507

<https://www.phoenixcontact.com/us/products/1212507>

Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type

Stripping tool

Application

Solarleitungen

Connection data

Conductor connection

Cross section range, metric

0.75 mm² ... 1.5 mm² (Stripping range)

2.5 mm² ... 6 mm² (Cutting zone)

Cross section range AWG

14 ... 10 (Stripping range)

14 ... 10 (Cutting zone)

Dimensions

Width

22 mm

Height

43 mm

Length

83 mm

Material specifications

Color

black

Cable/line

External cable diameter

1.9 mm ... 2.9 mm

WIREFOX-D SR 6 - Stripping tool



1212507

<https://www.phoenixcontact.com/us/products/1212507>

Classifications

ECLASS

ECLASS-11.0	21043706
ECLASS-12.0	21043706
ECLASS-13.0	21043706

ETIM

ETIM 9.0	EC002109
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com