SF-SL 0,4X2,5-75 - Screwdriver



https://www.phoenixcontact.com/us/products/1212547



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Screwdriver, slot-headed, size: 0.4 x 2.5 x 75 mm, 2-component grip, with non-slip grip



Your advantages

- · The tools feature ergonomic two-component safety handles
- · Large contact surface of blades inside screw head

Commercial data

Item number	1212547
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3141
Catalog page	Page 443 (C-3-2019)
GTIN	4046356589826
Weight per piece (including packing)	21.1 g
Weight per piece (excluding packing)	21.1 g
Customs tariff number	82054000
Country of origin	CZ

SF-SL 0,4X2,5-75 - Screwdriver



https://www.phoenixcontact.com/us/products/1212547



Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
roduct properties	
Туре	Bladed
Product type	Screwdriver tools
Туре	straight
Connection data	
Output	Bladed
Dimensions	
Width	22 mm
Blade width	2.5 mm
Blade height	75 mm
Length	145 mm
Wrench size for mounting	0 mm
Blade thickness	0.4 mm
Material specifications	
Material	alloyed tool steel
Standards and regulations	
Tests	DIN/ISO 2380-1
Mounting	
Wrench size	0 mm
TTTOTION SILO	V IIIII

SF-SL 0,4X2,5-75 - Screwdriver



https://www.phoenixcontact.com/us/products/1212547



Classifications

ECLASS

	ECLASS-11.0	21040407		
	ECLASS-12.0	21040407		
	ECLASS-13.0	21040407		
ETIM				
	ETIM 9.0	EC000158		
UNSPSC				
	UNSPSC 21.0	27111700		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com