

SF-SL 0,6X3,5-100 - Screwdriver



1212549

<https://www.phoenixcontact.com/us/products/1212549>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, bladed (lasered), size: 0.6 x 3.5 x 100 mm, 2-component grip, with non-slip grip

Your advantages

- The tools feature ergonomic two-component safety handles
- Large contact surface of blades inside screw head

Commercial data

Item number	1212549
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3141
Catalog page	Page 443 (C-3-2019)
GTIN	4046356589840
Weight per piece (including packing)	36.1 g
Weight per piece (excluding packing)	35.7 g
Customs tariff number	82054000
Country of origin	CZ

SF-SL 0,6X3,5-100 - Screwdriver

1212549

<https://www.phoenixcontact.com/us/products/1212549>



Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Type	Bladed
Product type	Screwdriver tools
Type	straight

Connection data

Output	Bladed
--------	--------

Dimensions

Width	26 mm
Blade width	3.5 mm
Blade height	100 mm
Length	181 mm
Wrench size for mounting	0 mm
Blade thickness	0.6 mm

Material specifications

Material	alloyed tool steel
----------	--------------------

Standards and regulations

Tests	DIN/ISO 2380-1
-------	----------------

Mounting

Wrench size	0 mm
-------------	------

SF-SL 0,6X3,5-100 - Screwdriver

1212549

<https://www.phoenixcontact.com/us/products/1212549>



Classifications

ECLASS

ECLASS-11.0	21040407
ECLASS-12.0	21040407
ECLASS-13.0	21040407

ETIM

ETIM 9.0	EC000158
----------	----------

UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com