SF-SLIC 1,2X7,0-125 - Screwdriver



1212554

https://www.phoenixcontact.com/us/products/1212554

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, slot-headed, with impact cap, with hexagon wrench aid for open-end wrench and ring wrench, size: $1.2 \times 7.0 \times 125$ mm, 2-component grip, with non-slip grip

Your advantages

- The tools feature ergonomic two-component safety handles
- · Large contact surface of blades inside screw head

Commercial data

Item number	1212554
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3141
Catalog page	Page 443 (C-3-2019)
GTIN	4046356589895
Weight per piece (including packing)	139.45 g
Weight per piece (excluding packing)	139.45 g
Customs tariff number	82054000
Country of origin	CZ

SF-SLIC 1,2X7,0-125 - Screwdriver



1212554

https://www.phoenixcontact.com/us/products/1212554

Technical data

Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
oduct properties	
Туре	Bladed
Product type	Screwdriver tools
Туре	straight
nnection data	
Output	Bladed
nensions	
Width	37 mm
Blade width	7 mm
Blade height	125 mm
Length	230 mm
Wrench size for mounting	0 mm
Blade thickness	1.2 mm
terial specifications	
Material	alloyed tool steel
andards and regulations	
Tests	DIN 5263
unting	
Wrench size	

SF-SLIC 1,2X7,0-125 - Screwdriver



1212554

https://www.phoenixcontact.com/us/products/1212554

Classifications

ECLASS

	ECLASS-11.0	21040407	
	ECLASS-12.0	21040407	
	ECLASS-13.0	21040407	
ETIM			
	ETIM 9.0	EC000158	
UNSPSC			
	UNSPSC 21.0	27111700	

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com