

# SF-PH 3-150 - Screwdriver



1212561

<https://www.phoenixcontact.com/us/products/1212561>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screwdriver, PH crosshead (lasered), uninsulated, size: PH 3 x 150, 2-component grip, with non-slip grip

## Your advantages

- Screwdrivers for Phillips screws with Pozidriv and Phillips Recess screw head

## Commercial data

Item number	1212561
Packing unit	10 pc
Minimum order quantity	10 pc
Sales key	BH31
Product key	BH3142
Catalog page	Page 445 (C-3-2019)
GTIN	4046356589963
Weight per piece (including packing)	164 g
Weight per piece (excluding packing)	161.97 g
Customs tariff number	82054000
Country of origin	CZ

# SF-PH 3-150 - Screwdriver



1212561

<https://www.phoenixcontact.com/us/products/1212561>

## Technical data

### Notes

#### Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

### Product properties

Type	Phillips
Product type	Screwdriver tools
Type	straight

### Connection data

Output	Crosshead/Phillips Recess
--------	---------------------------

### Dimensions

Width	40 mm
Blade width	8 mm
Blade height	150 mm
Length	262 mm
Wrench size for mounting	0 mm

### Material specifications

Material	alloyed tool steel
----------	--------------------

### Standards and regulations

Tests	DIN ISO 8764-1
-------	----------------

### Mounting

Wrench size	0 mm
-------------	------

# SF-PH 3-150 - Screwdriver



1212561

<https://www.phoenixcontact.com/us/products/1212561>

## Classifications

### ECLASS

ECLASS-11.0	21040406
ECLASS-12.0	21040406
ECLASS-13.0	21040406

### ETIM

ETIM 9.0	EC000144
----------	----------

### UNSPSC

UNSPSC 21.0	27111700
-------------	----------

Phoenix Contact 2024 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)