TSD-M SAC-BIT ADAPTER - Adapter insert

1212600

https://www.phoenixcontact.com/us/products/1212600

PHŒNIX CONTACT

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Adapter bit for TSD-M...torque tools, E6.3-1/4" drive with 4 mm hexagon to accommodate SAC bits

Your advantages

- · The TSD-M... adapters can accommodate the various nuts
- · For the TSD-M... torque screwdrivers the torque can be set individually
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- · Wide range of SAC... nuts for various different applications

Commercial data

Item number	1212600
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3149
Catalog page	Page 460 (C-3-2019)
GTIN	4046356590747
Weight per piece (including packing)	18.4 g
Weight per piece (excluding packing)	18.4 g
Customs tariff number	82079030
Country of origin	CZ

TSD-M SAC-BIT ADAPTER - Adapter insert

1212600

https://www.phoenixcontact.com/us/products/1212600

Technical data

Notes

Environmental Product Compliance				
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration			
Product properties				
Туре	Hexagonal SW4			
Product type	Screwdriver tools			
Connection data				
Output	Universal, replaceable			
Dimensions				
Blade height	100 mm			
Material specifications				
Color	silver			
Material	alloyed tool steel			
Standards and regulations				
Tests	DIN 3126			

TSD-M SAC-BIT ADAPTER - Adapter insert

1212600

https://www.phoenixcontact.com/us/products/1212600



Classifications

ECLASS

ECLASS-11.0	21044290
ECLASS-12.0	21044290
ECLASS-13.0	21045191

ETIM

	ETIM 9.0	EC011813		
UNSPSC				
	UNSPSC 21.0	27111700		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com