SF-BIT-SL 0,45X2,4-70 - Screw insert



1212607

https://www.phoenixcontact.com/us/products/1212607

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Screw bit, slotted, E6.3-1/4" drive, size: $0.45 \times 2.4 \times 70$ mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173

Your advantages

• Tools for SF-ASD 21 cordless screwdriver in various versions

Commercial data

Item number	1212607
Packing unit	5 pc
Minimum order quantity	5 pc
Sales key	BH31
Product key	BH3149
Catalog page	Page 456 (C-3-2019)
GTIN	4046356620482
Weight per piece (including packing)	7.98 g
Weight per piece (excluding packing)	7.98 g
Customs tariff number	82054000
Country of origin	CZ

SF-BIT-SL 0,45X2,4-70 - Screw insert



1212607

https://www.phoenixcontact.com/us/products/1212607

Technical data

Notes

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
duct properties	
Туре	Bladed
Product type	Screwdriver tools
Application	1/4"
nection data	
Output	Bladed
ensions	
Width	26 mm
Blade width	2 mm
Blade height	60 mm
Length	70 mm
Blade thickness	0.4 mm
erial specifications	
Color	silver
Material	Steel

SF-BIT-SL 0,45X2,4-70 - Screw insert



1212607

https://www.phoenixcontact.com/us/products/1212607

Classifications

ECLASS

	ECLASS-11.0	21044204		
	ECLASS-12.0	21044204		
	ECLASS-13.0	21044204		
ETIM				
	ETIM 9.0	EC003864		
UNSPSC				
	UNSPSC 21.0	27112800		

Phoenix Contact 2024 @ - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com