

CUTFOX-ES - Cutting tool

1212621

<https://www.phoenixcontact.com/us/products/1212621>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Electrician's scissors, high cutting performance thanks to micro-serrated cutting area, suitable for copper, aluminum, Kevlar fibers, and plastic, two-component non-slip soft-grip handles, ergonomic design, adjustable screw joint

Commercial data

Item number	1212621
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3116
Catalog page	Page 390 (C-3-2019)
GTIN	4046356641227
Weight per piece (including packing)	105 g
Weight per piece (excluding packing)	105 g
Customs tariff number	82033000
Country of origin	TW

CUTFOX-ES - Cutting tool

1212621

<https://www.phoenixcontact.com/us/products/1212621>



Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Cutting tools
Set comprises	1405246 TF-SCRJ-POF KONF SET
Application	Aluminum
	Copper
	Kevlar fibers
	Plastic

Connection data

Conductor cross section flexible	6 mm²
----------------------------------	-------

Dimensions

Width	78 mm
Height	20 mm
Length	155 mm

Material specifications

Color	multicolored
-------	--------------

Cable/line

External cable diameter	≤ 12.00 mm
-------------------------	------------

CUTFOX-ES - Cutting tool



1212621
<https://www.phoenixcontact.com/us/products/1212621>

Classifications

ECLASS

ECLASS-11.0	21044701
ECLASS-12.0	21044701
ECLASS-13.0	21044701

ETIM

ETIM 9.0	EC000142
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com