

# ZAP 40 - Crimping tool, pneumatic



1212630

<https://www.phoenixcontact.com/us/products/1212630>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Pneumatic crimping pliers, for ferrules according to DIN 46228-1: 1992-08 and DIN 46228-4: 1990-09, for conductor cross section 0.25 - 4 mm<sup>2</sup>, trapezoid crimping, lateral entry

## Commercial data

Item number	1212630
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH32
Product key	BH3232
Catalog page	Page 508 (C-3-2019)
GTIN	4046356661027
Weight per piece (including packing)	778.8 g
Weight per piece (excluding packing)	734.2 g
Customs tariff number	84671900
Country of origin	DE

# ZAP 40 - Crimping tool, pneumatic



1212630

<https://www.phoenixcontact.com/us/products/1212630>

## Technical data

### Product properties

Product type	Crimping machine
Compression	trapezoidal
Air consumption per compression	0.2 l
Pressure range	4.00 bar ... 6.00 bar

### Electrical properties

Frequency range	0 Hz
Power consumption	0 W

### Supply

Supply voltage range	0 V
----------------------	-----

### Connection data

#### Conductor connection

Cross section range, metric	0.25 mm <sup>2</sup> ... 4 mm <sup>2</sup>
-----------------------------	--

### Dimensions

Width	44 mm
Height	44 mm
Length	200 mm

# ZAP 40 - Crimping tool, pneumatic



1212630

<https://www.phoenixcontact.com/us/products/1212630>

## Classifications

### ECLASS

ECLASS-11.0	17130101
ECLASS-12.0	17130101
ECLASS-13.0	17130101

### ETIM

ETIM 9.0	EC002778
----------	----------

### UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)