

WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Stripping pliers, for halogen-free sensor/actuator cables (SAC cables), with PUR and PVC insulation, from Ø of 3.2 to 4.4 mm, any stripping length

Your advantages

- WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Commercial data

Item number	1212757
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3121
Catalog page	Page 408 (C-3-2019)
GTIN	4046356948487
Weight per piece (including packing)	167.6 g
Weight per piece (excluding packing)	167.6 g
Customs tariff number	82032000
Country of origin	DE

WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

Technical data

Notes

Environmental Product Compliance

California Proposition 65

Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type

Stripping tool

Application

Abisolieren von halogenfreien Sensor-/Aktor-Leitungen, Abisolierlänge beliebig

Connection data

Conductor connection

Cross section range, metric

2.5 mm² ... 4 mm²

Dimensions

Length

165 mm

Material specifications

Color

black

Cable/line

External cable diameter

3.2 mm ... 4.4 mm

WIREFOX SAC-1 - Stripping tool



1212757

<https://www.phoenixcontact.com/us/products/1212757>

Classifications

ECLASS

ECLASS-11.0	21043706
ECLASS-12.0	21043706
ECLASS-13.0	21043706

ETIM

ETIM 9.0	EC002109
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com