CRIMPFOX 6S-F CUS - Crimping pliers

1212769

https://www.phoenixcontact.com/us/products/1212769

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, laser marked according to customer specifications, for ferrules according to DIN 46228 Parts 1+4, 0.5 mm² ... 6 mm², front insertion, square crimp

Your advantages

- · All ferrules can be optimally crimped with a minimum amount of effort even in the case of large conductor cross sections
- Unlockable pressure lock
- Comprehensive range of crimping pliers
- · Consistently high crimping quality
- · Marked die stations for precise processing of corresponding cross sections

Commercial data

Item number	1212769
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BH313V
Catalog page	Page 473 (C-3-2019)
GTIN	4046356942966
Weight per piece (including packing)	463 g
Weight per piece (excluding packing)	446.18 g
Country of origin	SE

PHŒN

CRIMPFOX 6S-F CUS - Crimping pliers

1212769

https://www.phoenixcontact.com/us/products/1212769



Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
Product properties	
Product type	Crimping tool
Compression	Square crimp
Connection data Conductor connection	
Cross section range, metric	0.5 mm ² 6 mm ²
Cross section range AWG	20 10
Dimensions	
Width	18 mm
Height	59 mm
Length	198 mm
Material specifications	
Color	black

CRIMPFOX 6S-F CUS - Crimping pliers

1212769

https://www.phoenixcontact.com/us/products/1212769



Classifications

ECLASS

ECLASS-11.0	21043811
ECLASS-12.0	21043811
ECLASS-13.0	21043811

ETIM

	ETIM 9.0	EC000168		
UN	UNSPSC			
	UNSPSC 21.0	27111500		

Phoenix Contact 2024 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com