

CRIMPFOX-RC 25 CUS - Crimping pliers



1212778

<https://www.phoenixcontact.com/us/products/1212778>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Crimping pliers, laser marked according to customer specifications, for uninsulated cable lugs, 10 - 25 mm², indent crimp

Your advantages

- CRIMPFOX-RC 10 and ...RCT 25-1 complete the range of crimping pliers for uninsulated cable lugs and insulated tube lugs
- All pliers of this design reduce the amount of force required for crimping by 25%

Commercial data

Item number	1212778
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Product key	BH313V
Catalog page	Page 474 (C-3-2019)
GTIN	4046356943055
Weight per piece (including packing)	672 g
Weight per piece (excluding packing)	672 g
Country of origin	SE

CRIMPFOX-RC 25 CUS - Crimping pliers



1212778

<https://www.phoenixcontact.com/us/products/1212778>

Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Crimping tool
Compression	Indent crimp

Connection data

Conductor connection	
Cross section range, metric	10 mm² ... 25 mm²
Cross section range AWG	8 ... 4

Dimensions

Width	25 mm
Height	68 mm
Length	256 mm

Material specifications

Color	black
-------	-------

CRIMPFOX-RC 25 CUS - Crimping pliers



1212778
<https://www.phoenixcontact.com/us/products/1212778>

Classifications

ECLASS

ECLASS-11.0	21043811
ECLASS-12.0	21043811
ECLASS-13.0	21043811

ETIM

ETIM 9.0	EC000168
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com