

Connector assembly frame - HC-CIF-B10-BFFD-FH-AL - 1404219

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




HEAVYCON plug assembly frame, lower part for double locking latch, for sleeve housing with double locking latch or HC-CIF-..HFFD..., for type B10 contact inserts, for NS35/7,5 DIN rails

Why buy this product

- Sturdy metal version
- Open base, pre-assembled cable harnesses can be used
- Standardized design; both PE sheets for inserts are connected conductively
- Safe capacitive PE even when connected slightly askew

Key Commercial Data

Packing unit	1 STK
GTIN	 4 046356 681919
GTIN	4046356681919
Weight per Piece (excluding packing)	156.300 g
Weight per piece (including packing)	156.300 g
Custom tariff number	85389099
Country of origin	Poland
Sales Key	D1 - Connectors

Technical data

Dimensions

Length	93.5 mm
Width	56 mm
Height	85 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 125 °C
---------------------------------	-------------------

General


Connector assembly frame - HC-CIF-B10-BFFD-FH-AL - 1404219

Technical data

General

Size	For B10
Material	Cast aluminum, uncoated

Drawings



Dimensional drawing top view

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209
eCl@ss 8.0	27440206
eCl@ss 9.0	27440210

ETIM

ETIM 3.0	EC002310
ETIM 4.0	EC002310
ETIM 5.0	EC002310
ETIM 6.0	EC002310

UNSPSC

UNSPSC 6.01	43172601
UNSPSC 7.0901	39121416
UNSPSC 11	43172601
UNSPSC 12.01	39121408
UNSPSC 13.2	39121421

Connector assembly frame - HC-CIF-B10-BFFD-FH-AL - 1404219

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		7500651.22.01.00246
-----	---	---------------------
